

Prepared for:

Remederi USA LLC - Reuni Products

1309 Coffeen Ave STE 3587
Sheridan, WY United States 82801

Full Spectrum 2400 CBG + 1200 CBD

Batch ID or Lot Number: KND23-FST-2:1-CBG-CBD	Test: Potency	Reported: 17Jan2024	USDA License: N/A
Matrix: Solution	Test ID: T000267816	Started: 17Jan2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 16Jan2024	Status: N/A

Cannabinoids

	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.348	0.908	7.340	7.60	Density = 0.96g/mL
Cannabichromenic Acid (CBCA)	0.318	0.831	ND	ND	
Cannabidiol (CBD)	1.121	2.616	42.400	44.20	
Cannabidiolic Acid (CBDA)	1.149	2.683	ND	ND	
Cannabidivarin (CBDV)	0.265	0.619	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.479	1.119	ND	ND	
Cannabigerol (CBG)	0.198	0.516	81.910	85.30	
Cannabigerolic Acid (CBGA)	0.826	2.156	ND	ND	
Cannabinol (CBN)	0.258	0.673	1.130	1.20	
Cannabinolic Acid (CBNA)	0.564	1.471	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.984	2.569	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.894	2.333	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.792	2.067	ND	ND	
Tetrahydrocannabivarin (THCV)	0.180	0.469	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.699	1.823	ND	ND	
Total Cannabinoids			132.780	138.30	
Total Potential THC			0.000	0.00	
Total Potential CBD			42.400	44.20	

Final Approval



Karen Winternheimer
17Jan2024
01:30:00 PM MST

PREPARED BY / DATE



Sam Smith
17Jan2024
01:32:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c6235700-6546-4600-9d24-11c8486cf527>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
c6235700654646009d2411c8486cf527.1