

Encore Labs 120 W Bellevue Dr. Pasadena, CA 91105

(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

## **CR+ Full Spectrum Tincture**

METRC Batch: METRC Sample: Sample ID: 2501ENC1239\_4108 Strain: Classic - Natural - 100mg/mL Matrix: Ingestible Type: Tincture Batch#: CRB251801-02

Collected: 02/03/2025 Received: 02/03/2025 Completed: 02/06/2025 Sample Size: 1 units; Distributor Canna River

Lic. # 2535 Conejo Spectrum St., Thousand Oaks, CA, 91320



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	02/04/2025	LC-DAD	Complete
Pesticides	02/04/2025	LC-MS	Pass
Mycotoxins	02/04/2025	LC-MS	Pass
Residual Solvents	02/04/2025	HS-GC-MS	Pass
Microbial Impurities	02/05/2025	qPCR	Pass
Heavy Metals	02/05/2025	ICP-MS	Pass
Foreign Matter	02/04/2025	Visual Inspection	Pass

#### Cannabinoids

Method: SOP CA\_M-CANNABINOIDS

<b>108.28 mg/u</b> Total THC			<b>6237.54</b> Total	•		<b>6683.16 mg/unit</b> Total Cannabinoids
Analytes	LOD	LOQ	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	
THCa	0.137	0.412	ND	ND	ND	
Δ9-THC	0.153	0.467	0.180	1.80	108.28	
Δ8-THC	0.145	0.435	ND	ND	ND	
THCVa	0.137	0.420	ND	ND	ND	
THCV	0.141	0.427	ND	ND	ND	
CBDa	0.149	0.447	ND	ND	ND	
CBD	0.153	0.467	10.396	103.96	6237.54	
CBN	0.149	0.455	0.143	1.43	85.82	
CBGa	0.153	0.467	ND	ND	ND	
CBG	0.145	0.443	0.273	2.73	163.93	
CBCa	0.133	0.404	ND	ND	ND	
CBC	0.149	0.447	0.146	1.46	87.58	
Total THC			0.180	1.80	108.28	
Total CBD			10.396	103.96	6237.54	
Total Cannabinoids			11.139	111.39	6683.16	
Sum of Cannabinoids			11.139	111.39	6683.16	

1 Unit = 60g;

Total THC = THCa \*  $0.877 + \Delta 9$ -THC +  $\Delta 8$ -THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP CA\_M-FOREIGN; Moisture and Water Activity Method: SOP CA\_M-WATER



no Kevin Nolan



This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Kevin Nolan Laboratory Director | 02/06/2025



Encore Labs 120 W Bellevue Dr. Pasadena, CA 91105 (626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

# **CR+ Full Spectrum Tincture**

METRC Batch: METRC Sample: Sample ID: 2501ENC1239\_4108 Strain: Classic - Natural - 100mg/mL Matrix: Ingestible Type: Tincture Batch#: CRB251801-02

Collected: 02/03/2025 Received: 02/03/2025 Completed: 02/06/2025 Sample Size: 1 units; Distributor Canna River

Lic. # 2535 Conejo Spectrum St., Thousand Oaks, CA, 91320

### Pesticides

Method: SOP CA\_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.019	0.056	0.3	ND	Pass	Fludioxonil	0.011	0.034	30	ND	Pass
Acephate	0.006	0.02	5	ND	Pass	Hexythiazox	0.008	0.025	2	ND	Pass
Acequinocyl	0.0089	0.0268	4	ND		Imazalil	0.021	0.064	0.021	ND	Pass
Acetamiprid	0.006	0.018	5	ND	Pass	Imidacloprid	0.009	0.026	3	ND	Pass
Aldicarb	0.031	0.095	0.031	ND	Pass	Kresoxim Methyl	0.015	0.044	1	ND	Pass
Azoxystrobin	0.006	0.017	40	ND	Pass	Malathion	0.008	0.023	5	ND	Pass
Bifenazate	0.01	0.03	5	ND	Pass	Metalaxyl	0.007	0.021	15	ND	Pass
Bifenthrin	0.049	0.15	0.5	ND	Pass	Methiocarb	0.015	0.044	0.015	ND	Pass
Boscalid	0.01	0.031	10	ND	Pass	Methomyl	0.017	0.051	0.1	ND	Pass
Captan	0.05	0.1516	5	ND	Pass	Parathion Methyl	0.0157	0.0477	0.0157	ND	Pass
Carbaryl	0.022	0.065	0.5	ND	Pass	Mevinphos	0.024	0.072	0.024	ND	Pass
Carbofuran	0.017	0.051	0.017	ND	Pass	Myclobutanil	0.011	0.033	9	ND	Pass
Chlorantraniliprole	0.011	0.034	40	ND	Pass	Naled	0.026	0.078	0.5	ND	Pass
Chlordane	0.0099	0.03	0.0099	ND	Pass	Oxamyl	0.014	0.044	0.2	ND	Pass
Chlorfenapyr	0.0316	0.0957	0.0316	ND	Pass	Paclobutrazol	0.033	0.099	0.033	ND	Pass
Chlorpyrifos	0.024	0.073	0.024	ND	Pass	PCNB	0.0133	0.0403	0.2	ND	Pass
Clofentezine	0.011	0.034	0.5	ND	Pass	Permethrin	0.013	0.039	20	ND	Pass
Coumaphos	0.028	0.084	0.028	ND	Pass	Phosmet	0.006	0.018	0.2	ND	Pass
Cyfluthrin	0.0243	0.0736	1	ND	Pass	Piperonyl Butoxide	0.008	0.025	8	ND	Pass
Cypermethrin	0.0409	0.124	1	ND	Pass	Prallethrin	0.01	0.03	0.4	ND	Pass
Daminozide	0.023	0.069	0.023	ND	Pass	Propiconazole	0.009	0.028	20	ND	Pass
Diazinon	0.008	0.024	0.2	ND	Pass	Propoxur	0.02	0.061	0.02	ND	Pass
Dichlorvos	0.017	0.051	0.017	ND	Pass	Pyrethrins	0.02	0.059	1	ND	Pass
Dimethoate	0.02	0.059	0.02	ND	Pass	Pyridaben	0.01	0.03	3	ND	Pass
Dimethomorph	0.01	0.03	20	ND	Pass	Spinetoram	0.012	0.037	3	ND	Pass
Ethoprophos	0.016	0.048	0.016	ND	Pass	Spinosad	0.01	0.032	3	ND	Pass
Etofenprox	0.027	0.082	0.027	ND	Pass	Spiromesifen	0.011	0.033	12	ND	Pass
Etoxazole	0.006	0.017	1.5	ND	Pass	Spirotetramat	0.018	0.054	13	ND	Pass
Fenhexamid	0.013	0.04	10	ND	Pass	Spiroxamine	0.01	0.03	0.01	ND	Pass
Fenoxycarb	0.012	0.037	0.012	ND	Pass	Tebuconazole	0.014	0.042	2	ND	Pass
Fenpyroximate	0.003	0.01	2	ND	Pass	Thiacloprid	0.01	0.031	0.01	ND	Pass
Fipronil	0.021	0.063	0.021	ND	Pass	Thiamethoxam	0.013	0.039	4.5	ND	Pass
Flonicamid	0.017	0.051	2	ND	Pass	Trifloxystrobin	0.004	0.011	30	ND	Pass

Date Tested: 02/04/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



No Kevin Nolan Laboratory Director | 02/06/2025



This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



Encore Labs 120 W Bellevue Dr. Pasadena, CA 91105

(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

# **CR+ Full Spectrum Tincture**

METRC Batch: METRC Sample: Sample ID: 2501ENC1239\_4108 Strain: Classic - Natural - 100mg/mL Matrix: Ingestible Type: Tincture Batch#: CRB251801-02

Collected: 02/03/2025 Received: 02/03/2025 Completed: 02/06/2025 Sample Size: 1 units;

Distributor **Canna River** 

Lic. # 2535 Conejo Spectrum St., Thousand Oaks, CA, 91320

#### Mycotoxins Method: SOP CA\_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	2.80	8.40		ND	Tested
Aflatoxin B2	1.90	5.60		ND	Tested
Aflatoxin G1	1.40	4.20		ND	Tested
Aflatoxin G2	2.00	6.20		ND	Tested
Ochratoxin A	2.70	8.10	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 02/04/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

#### **Residual Solvents**

Method: SOP CA M-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	hð/ð	µg/g	µg/g	
Acetone	3.37	10.20	5000	ND	Pass
Acetonitrile	1.80	5.45	410	ND	Pass
Benzene	0.11	0.33	1	ND	Pass
Butane	2.31	7.01	5000	ND	Pass
Chloroform	0.21	0.65	1	ND	Pass
Ethanol	2.82	8.54	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethyl acetate	2.10	6.36	5000	ND	Pass
Ethyl ether	1.93	5.86	5000	ND	Pass
Ethylene Oxide	0.31	0.94	1	ND	Pass
Heptane	2.18	6.61	5000	ND	Pass
Hexane	2.22	6.74	290	ND	Pass
Isopropyl alcohol	2.19	6.64	5000	ND	Pass
Methanol	2.28	6.90	3000	ND	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.30	1	ND	Pass
Pentane	2.39	7.25	5000	ND	Pass
Propane	2.33	7.05	5000	ND	Pass
Toluene	0.59	1.79	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	13.51	40.94	2170	ND	Pass
Trichloroethylene	0.18	0.54	1	ND	Pass

Date Tested: 02/04/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Microbial Impurities Method: SOP CA_M-MICROBIALS		
Analytes	Result	Status
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 02/05/2025



No Kevin Nolan



This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Laboratory Director | 02/06/2025



(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

# **CR+ Full Spectrum Tincture**

METRC Batch: METRC Sample: Sample ID: 2501ENC1239\_4108 Strain: Classic - Natural - 100mg/mL Matrix: Ingestible Type: Tincture Batch#: CRB251801-02

Collected: 02/03/2025 Received: 02/03/2025 Completed: 02/06/2025 Sample Size: 1 units;

Distributor Canna River

Lic. # 2535 Conejo Spectrum St., Thousand Oaks, CA, 91320

#### Heavy Metals Method: SOP CA\_M-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	hð\d	µg/g	µg/g	µg/g	
Arsenic	0.033	0.099	1.500	ND	Pass
Cadmium	0.028	0.085	0.500	ND	Pass
Lead	0.049	0.147	0.500	ND	Pass
Mercury	0.015	0.045	3.000	ND	Pass

Date Tested: 02/05/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.





AC-MR

This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.